

Bringing Legacy Embedded Systems into the Modern World



Ken Grob

Dir. Embedded Technologies Elma Electronic Inc.

January 21st, 2014

Your Solution Partner



Background:

- Both SCSI and IDE (PATA) hard drives are rapidly being displaced in the marketplace by SATA drive technology.
- Many systems must stay in place for years to support applications with entrenched and outdated storage interfaces – yet drive technology evolves.
- In critical embedded storage applications, the system architecture can be pervasive.
- In systems where a storage interface is in place, the legacy drive technology will need to be upgraded.





The Objectives:

- Maintaining backwards compatibility between the new storage subsystem and the original host system
- Modernizing and updating older storage modules while maintaining form, fit and functional compatibility with the original host system:
 - Host interface: SCSI, PATA, SATA
 - Board form factor: VME, cPCI, Others
 - Operating systems: RTOS, Linux, Unix, Windows





Design Considerations

• Dealing with changing form factors, changing interfaces



Design Considerations

- Interface
- Mechanics
- Removability
- Operating System
- Drive type and features





Embedded Systems can represent thousands of disk drives or sub-systems that require upgrade

Storage systems are subject to attrition

The Operating System Software and Drive interface can be an obstacle to Tech Refresh



The Challenges:



- Identify suitable SATA drives to replace the old PATA or SCSI drives
- Maintain the legacy interface to the host system
- Maintain the legacy board form factor VME, cPCI etc. on which the drive(s) are mounted
- Maintain the legacy operating system
- Support removability where necessary
- Insert new capabilities





A Solution:

 Implementing I/O conversion technology and replacing SCSI and PATA drives with cutting edge SATA / SAS drives can extend the lifetime of the storage system by 5-7, or more years.





Legacy Conversion Examples





 Providing SCSI to SATA conversion for systems utilizing both front and rear connectivity.







Take it one step further: Upgrade to Removable Modules



Maintain SCSI Interconnect and Update to Removable SSDs



 \bigcirc

 \bigcirc

• Option for SCSI or direct SATA with removability





ELMA Your Solution Partner

Convert from Rotating HDD to SSD with Updated Removable Media

Provide **A Backwards Compatible Module** SCSI > SATA - II and SCSI > ATA/ATAPI conversion on one board





- Maintain SCSI Interface, Update 2 ½" SSD to SATA-II, Convert Removable Media to CF, maintain Software Compatiblity
- No Operating System Changes





Storage Architecture





Dual Channel Ultra-160
-SCSI to SATA-II
-SCSI to ATA/ATAPI



ATAPI CF Interface

- Device Management
 - Power Management
 - Isolation
 - Packet Interface implemented in FPGA





Additional Upgrade Advantages

- Beyond resolving the immediate need to keep systems running into the future, there are benefits which you may take advantage of when upgrading:
 - Consider solid state drives
 - Higher initial cost but lower life time support costs
 - Improved environmental performance
 - Lower power consumption especially when considering 3.5" SCSI to 2.5" SATA solid state drives
 - Improved over all MTBF
 - Reduction is size and weight
 - Add security options
 - Secure erasure
 - Write protection
 - Encryption





Additional Upgrade Advantages

- HDD to SSD
- Legacy bridging provides the opportunity to move away from traditional hard drives to more robust solid state drives



• Replace rotating SCSI drives with solid state SATA drives





Additional Upgrade Advantages

• SWaP improvements, with improved reliability









Erasure Options

- Many newer solid state drives provide firmware options for multiple erasure options:
 - Clear
 - Sanitize per:
 - DOD NISPOM 5220.22-M
 - DOD NISPOM 5220.22-M Sup 1
 - NSA/CCS 130-2
 - Army AR 380-19
 - Navy NAVSO P-5239-26
 - Air Force AFSSI-5020
 - RCC-TG IRIG 106-07
 - NSA/CSS 9-12





Summary



- Drive Sub-Systems can be upgraded from SCSI to SATA
- HDDs can be improved by moving to SSDs
- HDDs can be replaced with pluggable modules.
 - MTBF can be improved with SSDs
 - Environmental performance can be enhanced
 - Shock and Vibe
- Removable media can be updated with CF, or CFAST
- Storage solutions can be replaced transparently with backwards compatible drivers
- Additional features such as WP and Secure Erase can be added

